



PAR 30 E27



MODEL:
PAR30-11040





m	Lux	Ø cm
0.5	5500	41
1	1300	83
1.5	612	124
2	346	166

Beam angle = 40°





MODEL:
PAR30-11030



m	Lux	Ø cm
0.5	7500	21
1	1900	43
1.5	790	64
2	480	85

Beam angle = 30°



MODEL:
PAR30-11024



m	Lux	Ø cm
0.5	9900	21
1	2400	43
1.5	1032	64
2	612	85

Beam angle = 24°

MODEL:
PAR30-11006



m	Lux	Ø cm
0.5	60500	7
1	15020	14
1.5	7011	21
2	3700	28

Beam angle = 6°

Specification

Description	LED lamp PAR30	LED lamp PAR30	LED lamp PAR30	LED lamp PAR30
Model No.	PAR30-11040	PAR30-11030	PAR30-11024	PAR30-11006
Voltage (V)	220-240	220-240	220-240	220-240
Wattage (W)	10	10	10	10
Lamp Life (hrs)	30000	30000	30000	30000
Max. Luminous Intensity (cd)	1300	1900	2400	15020
Beam Angle (°)	40	30	24	6
Operating Temperature (°C)	-30 to +40	-30 to +40	-30 to +40	-30 to +40
Colour Temperature (CRI)	2800K (85), 4000K (92)	2800K (85), 4000K (92)	2800K (85), 4000K (92)	2800K (85), 4000K (92)
Diameter (mm)	96	96	96	96
Length (mm)	101	101	101	101